




# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



1F



2



2F


3M

podziałka: **3 mm**


koła dla pasa o szerokości: **9 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
10 3M 09	1F	Al	10	9,55	8,79	13,00	12,00	10,20	17,50	-	100	0,01
12 3M 09	1F	Al	12	11,46	10,70	15,00	15,00	10,20	17,50	-	101	0,01
14 3M 09	1F	Al	14	13,37	12,61	16,00	16,00	10,20	17,50	-	102	0,01
15 3M 09	1F	Al	15	14,32	13,56	18,00	17,50	10,20	17,50	-	104	0,01
16 3M 09	2F	Al	16	15,28	14,52	18,00	10,00	12,80	20,60	4	104	0,01
18 3M 09	2F	Al	18	17,19	16,43	19,50	11,00	12,80	20,60	6	105	0,01
20 3M 09	2F	Al	20	19,10	18,34	23,00	13,00	12,80	20,60	6	107	0,01
21 3M 09	2F	Al	21	20,05	19,29	25,00	14,00	12,80	20,60	6	108	0,01
22 3M 09	2F	Al	22	21,01	20,25	25,00	14,00	12,80	20,60	6	108	0,01
24 3M 09	2F	Al	24	22,92	22,16	25,00	14,00	12,80	20,60	6	108	0,02
26 3M 09	2F	Al	26	24,83	24,07	28,00	16,00	12,80	20,60	6	109	0,02
28 3M 09	2F	Al	28	26,74	25,98	32,00	18,00	12,80	20,60	6	110	0,02
30 3M 09	2F	Al	30	28,65	27,89	32,00	20,00	12,80	20,60	6	110	0,03
32 3M 09	2F	Al	32	30,56	29,80	36,00	22,00	12,80	20,60	6	111	0,03
36 3M 09	2F	Al	36	34,38	33,62	38,00	26,00	13,40	22,20	6	112	0,05
40 3M 09	2F	Al	40	38,20	37,44	42,00	28,00	13,40	22,20	6	113	0,06
44 3M 09	2F	Al	44	42,02	41,26	48,00	33,00	13,40	22,20	6	114	0,07
48 3M 09	2	Al	48	45,84	45,08	-	33,00	13,40	22,20	8	-	0,11
60 3M 09	2	Al	60	57,30	56,54	-	33,00	13,40	22,20	8	-	0,11
72 3M 09	2	Al	72	68,76	68,00	-	33,00	13,40	22,20	8	-	0,15


# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



1F



2



2F


3M

podziałka: 3 mm


koła dla pasa o szerokości: 15mm

typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
10 3M 15	1F	Al	10	9,55	8,79	13,00	12,00	17,00	26,00	-	100	0,01
12 3M 15	1F	Al	12	11,46	10,70	15,00	15,00	17,00	26,00	-	101	0,01
14 3M 15	1F	Al	14	13,37	12,61	16,00	16,00	17,00	26,00	-	102	0,01
15 3M 15	1F	Al	15	14,32	13,56	18,00	17,50	17,00	26,00	-	104	0,01
16 3M 15	2F	Al	16	15,28	14,52	18,00	10,00	19,50	26,00	4	104	0,01
18 3M 15	2F	Al	18	17,19	16,43	19,50	11,00	19,50	26,00	6	105	0,01
20 3M 15	2F	Al	20	19,10	18,34	23,00	13,00	19,50	26,00	6	107	0,01
21 3M 15	2F	Al	21	20,05	19,29	25,00	14,00	19,50	26,00	6	108	0,02
22 3M 15	2F	Al	22	21,01	20,25	25,00	14,00	19,50	26,00	6	108	0,02
24 3M 15	2F	Al	24	22,92	22,16	25,00	14,00	19,50	26,00	6	108	0,02
26 3M 15	2F	Al	26	24,83	24,07	28,00	16,00	19,50	26,00	6	109	0,03
28 3M 15	2F	Al	28	26,74	25,98	32,00	18,00	19,50	26,00	6	110	0,03
30 3M 15	2F	Al	30	28,65	27,89	32,00	20,00	19,50	26,00	6	110	0,04
32 3M 15	2F	Al	32	30,56	29,80	36,00	22,00	19,50	26,00	6	111	0,04
36 3M 15	2F	Al	36	34,38	33,62	38,00	26,00	20,00	30,00	6	112	0,06
40 3M 15	2F	Al	40	38,20	37,44	42,00	28,00	20,00	30,00	6	113	0,08
44 3M 15	2F	Al	44	42,02	41,26	48,00	33,00	20,00	30,00	6	114	0,10
48 3M 15	2	Al	48	45,84	45,08	-	33,00	20,00	30,00	8	-	0,10
60 3M 15	2	Al	60	57,30	56,54	-	33,00	20,00	30,00	8	-	0,15
72 3M 15	2	Al	72	68,76	68,00	-	33,00	20,00	30,00	8	-	0,21

# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



2



2F


**5M**

podziałka: **5 mm**


koła dla pasa o szerokości: **9 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
12 5M 09	2F	St	12	19,10	17,96	23	12,50	14,50	20,00	6	202	0,03
14 5M 09	2F	St	14	22,28	21,14	25	13,50	14,50	20,00	6	203	0,04
15 5M 09	2F	St	15	23,87	22,73	28	16,00	14,50	20,00	6	204	0,05
16 5M 09	2F	St	16	25,46	24,32	28	16,50	14,50	20,00	6	204	0,06
18 5M 09	2F	St	18	28,65	27,51	32	20,00	14,50	20,00	6	205	0,07
20 5M 09	2F	St	20	31,83	30,69	36	23,00	14,50	22,50	6	206	0,10
21 5M 09	2F	St	21	33,42	32,28	38	24,00	14,50	22,50	6	207	0,12
22 5M 09	2F	St	22	35,01	33,87	38	25,50	14,50	22,50	6	207	0,13
24 5M 09	2F	St	24	38,20	37,06	42	27,00	14,50	22,50	6	208	0,15
26 5M 09	2F	St	26	41,38	40,24	44	30,00	14,50	22,50	6	209	0,18
28 5M 09	2F	St	28	44,56	43,42	48	30,50	14,50	22,50	6	210	0,21
30 5M 09	2F	St	30	47,75	46,60	51	35,00	14,50	22,50	6	211	0,25
32 5M 09	2F	St	32	50,93	49,79	54	38,00	14,50	22,50	8	212	0,28
36 5M 09	2F	St	36	57,30	56,16	60	38,00	14,50	22,50	8	214	0,33
40 5M 09	2F	St	40	63,66	62,52	71	38,00	14,50	22,50	8	217	0,42
44 5M 09	2	Al	44	70,03	68,89	-	38,00	14,50	25,50	8	-	0,17
48 5M 09	2	Al	48	76,39	75,25	-	45,00	14,50	25,50	8	-	0,18
60 5M 09	2	Al	60	95,49	94,35	-	45,00	14,50	25,50	8	-	0,23
72 5M 09	2	Al	72	114,59	113,45	-	45,00	14,50	25,50	8	-	0,42

# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



2



2F


**5M**

podziałka: **5 mm**


koła dla pasa o szerokości: **15 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
12 5M 15	2F	St	12	19,10	17,96	23	12,50	20,50	26	6	202	0,03
14 5M 15	2F	St	14	22,28	21,14	25	13,50	20,50	26	6	203	0,04
15 5M 15	2F	St	15	23,87	22,73	28	16,00	20,50	26	6	204	0,05
16 5M 15	2F	St	16	25,46	24,32	28	16,50	20,50	26	6	204	0,06
18 5M 15	2F	St	18	28,65	27,51	32	20,00	20,50	26	6	205	0,09
20 5M 15	2F	St	20	31,83	30,69	36	23,00	20,50	26	6	206	0,12
21 5M 15	2F	St	21	33,42	32,28	38	24,00	20,50	26	6	207	0,14
22 5M 15	2F	St	22	35,01	33,87	38	25,50	20,50	26	6	207	0,15
24 5M 15	2F	St	24	38,20	37,06	42	27,00	20,50	28	6	208	0,19
26 5M 15	2F	St	26	41,38	40,24	44	30,00	20,50	28	6	209	0,23
28 5M 15	2F	St	28	44,56	43,42	48	30,50	20,50	28	6	210	0,26
30 5M 15	2F	St	30	47,75	46,60	51	35,00	20,50	28	6	211	0,32
32 5M 15	2F	St	32	50,93	49,79	54	38,00	20,50	28	8	212	0,35
36 5M 15	2F	St	36	57,30	56,16	60	38,00	20,50	28	8	214	0,43
40 5M 15	2F	St	40	63,66	62,52	71	38,00	20,50	28	8	217	0,52
44 5M 15	2	Al	44	70,03	68,89	-	38,00	20,50	30	8	-	0,23
48 5M 15	2	Al	48	76,39	75,25	-	38,00	20,50	30	8	-	0,29
60 5M 15	2	Al	60	95,49	94,35	-	50,00	20,50	30	8	-	0,30
72 5M 15	2	Al	72	114,59	113,45	-	50,00	20,50	30	8	-	0,59

# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



2



2F


**5M**

podziałka: **5 mm**


koła dla pasa o szerokości: **25 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	nr flanszy	[kg]
12 5M 25	2F	St	12	19,10	17,96	23	12,50	30,50	36	6	202	0,05
14 5M 25	2F	St	14	22,28	21,14	25	13,50	30,50	36	6	203	0,08
15 5M 25	2F	St	15	23,87	22,73	28	16,00	30,50	36	6	204	0,09
16 5M 25	2F	St	16	25,46	24,32	28	16,50	30,50	36	6	204	0,11
18 5M 25	2F	St	18	28,65	27,51	32	20,00	30,50	36	6	205	0,13
20 5M 25	2F	St	20	31,83	30,69	36	23,00	30,50	36	6	206	0,17
21 5M 25	2F	St	21	33,42	32,28	38	24,00	30,50	38	6	207	0,20
22 5M 25	2F	St	22	35,01	33,87	38	25,50	30,50	38	6	207	0,22
24 5M 25	2F	St	24	38,20	37,06	42	27,00	30,50	38	6	208	0,26
26 5M 25	2F	St	26	41,38	40,24	44	30,00	30,50	38	6	209	0,32
28 5M 25	2F	St	28	44,56	43,42	48	30,50	30,50	38	6	210	0,37
30 5M 25	2F	St	30	47,75	46,60	51	35,00	30,50	38	6	211	0,44
32 5M 25	2F	St	32	50,93	49,79	54	38,00	30,50	38	8	212	0,48
36 5M 25	2F	St	36	57,30	56,16	60	38,00	30,50	38	8	214	0,59
40 5M 25	2F	St	40	63,66	62,52	71	38,00	30,50	38	8	217	0,75
44 5M 25	2	Al	44	70,03	68,89	-	38,00	30,50	40	8	-	0,32
48 5M 25	2	Al	48	76,39	75,25	-	38,00	30,50	40	8	-	0,28
60 5M 25	2	Al	60	95,49	94,35	-	50,00	30,50	40	8	-	0,44
72 5M 25	2	Al	72	114,59	113,45	-	50,00	30,50	40	8	-	0,85


# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ




2F



3F



3



4


**8M**

podziałka: **8 mm**


koła dla pasa o szerokości: **20 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	nr flanszy	[kg]
22 8M 20	2F	St	22	56,02	54,65	60	43	-	28	38	12	308	0,54
24 8M 20	2F	St	24	61,11	59,74	66	45	-	28	38	12	310	0,65
26 8M 20	2F	St	26	66,21	64,84	71	48	-	28	38	12	311	0,80
28 8M 20	2F	St	28	71,30	70,08	75	50	-	28	38	14	312	0,88
30 8M 20	2F	St	30	76,39	75,13	83	55	-	28	38	14	314	1,00
32 8M 20	2F	St	32	81,49	80,16	87	60	-	28	38	14	315	1,20
34 8M 20	2F	St	34	86,58	85,21	91	66	-	28	38	14	316	1,40
36 8M 20	2F	St	36	91,67	90,30	98	70	-	28	38	14	319	1,60
38 8M 20	2F	St	38	96,77	95,39	103	75	-	28	38	14	320	1,70
40 8M 20	2F	St	40	101,86	100,49	106	75	-	28	38	14	321	1,85
44 8M 20	2F	St	44	112,05	110,67	119	75	-	28	38	14	325	2,10
48 8M 20	2F	St	48	122,23	120,86	127	75	-	28	38	14	327	2,50
56 8M 20	3F	St	56	142,60	141,23	148	80	116	28	38	14	333	2,82
64 8M 20	3F	St	64	162,97	161,60	168	80	137	28	38	14	338	3,22
72 8M 20	3F	St	72	183,35	181,97	192	80	158	28	38	14	340	3,74
80 8M 20	3	GG	80	203,72	202,35	-	90	180	28	38	14	-	3,78
90 8M 20	3	GG	90	229,18	227,81	-	90	204	28	38	14	-	4,57
* 112 8M 20	4	GG	112	285,21	283,83	-	90	254	28	38	18	-	-
* 144 8M 20	4	GG	144	366,69	365,32	-	90	336	28	38	20	-	-
* 168 8M 20	4	GG	168	427,81	426,44	-	100	400	28	38	20	-	-
* 192 8M 20	4	GG	192	488,92	487,55	-	100	460	28	38	20	-	-


# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ




2F



3F



3



4





**8M**

podziałka: **8 mm**

koła dla pasa o szerokości: **30 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	nr flanszy	[kg]
22 8M 30	2F	St	22	56,02	54,65	60	43	-	38	48	12	308	0,75
24 8M 30	2F	St	24	61,11	59,74	66	45	-	38	48	12	310	0,90
26 8M 30	2F	St	26	66,21	64,84	71	48	-	38	48	12	311	1,10
28 8M 30	2F	St	28	71,30	70,08	75	50	-	38	48	14	312	1,20
30 8M 30	2F	St	30	76,39	75,13	83	55	-	38	48	14	314	1,32
32 8M 30	2F	St	32	81,49	80,16	87	60	-	38	48	14	315	1,55
34 8M 30	2F	St	34	86,58	85,21	91	66	-	38	48	14	316	1,80
36 8M 30	2F	St	36	91,67	90,30	98	70	-	38	48	14	319	2,10
38 8M 30	2F	St	38	96,77	95,39	103	75	-	38	48	14	320	2,30
40 8M 30	2F	St	40	101,86	100,49	106	75	-	38	48	14	321	2,47
44 8M 30	2F	St	44	112,05	110,67	119	75	-	38	48	14	325	2,95
48 8M 30	2F	St	48	122,23	120,86	127	75	-	38	48	14	327	3,30
56 8M 30	3F	St	56	142,60	141,23	148	90	116	38	48	14	333	4,02
64 8M 30	3F	St	64	162,97	161,60	168	90	137	38	48	14	338	4,60
72 8M 30	3F	St	72	183,35	181,97	192	95	158	38	48	14	340	5,41
80 8M 30	3	GG	80	203,72	202,35	-	100	180	38	48	14	-	5,23
90 8M 30	3	GG	90	229,18	227,81	-	100	204	38	48	14	-	6,42
112 8M 30	4	GG	112	285,21	283,83	-	100	254	38	48	18	-	8,12
144 8M 30	4	GG	144	366,69	365,32	-	100	336	38	48	20	-	10,36
168 8M 30	4	GG	168	427,81	426,44	-	100	400	38	48	20	-	12,37
192 8M 30	4	GG	192	488,92	487,55	-	100	460	38	48	20	-	14,31

# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



**8M**


podziałka: **8 mm**

koła dla pasa o szerokości: **50 mm**


typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	nr flanszy	[kg]
22 8M 50	2F	St	22	56,02	54,65	60	43	-	60	70	12	308	1,10
24 8M 50	2F	St	24	61,11	59,74	66	45	-	60	70	12	310	1,30
26 8M 50	2F	St	26	66,21	64,84	71	48	-	60	70	12	311	1,60
28 8M 50	2F	St	28	71,30	70,08	75	50	-	60	70	14	312	1,70
30 8M 50	2F	St	30	76,39	75,13	83	55	-	60	70	14	314	2,00
32 8M 50	2F	St	32	81,49	80,16	87	60	-	60	70	14	315	2,35
34 8M 50	2F	St	34	86,58	85,21	91	66	-	60	70	14	316	2,80
36 8M 50	2F	St	36	91,67	90,30	98	70	-	60	70	14	319	3,10
38 8M 50	2F	St	38	96,77	95,39	103	75	-	60	70	14	320	3,30
40 8M 50	2F	St	40	101,86	100,49	106	75	-	60	70	14	321	3,60
44 8M 50	2F	St	44	112,05	110,67	119	75	-	60	70	14	325	4,40
48 8M 50	2F	St	48	122,23	120,86	127	75	-	60	70	14	327	5,00
56 8M 50	7F	St	56	142,60	141,23	148	90	116	60	60	18	333	5,68
64 8M 50	7F	St	64	162,97	161,60	168	100	137	60	60	18	338	6,93
72 8M 50	7F	St	72	183,35	181,97	192	100	158	60	60	18	340	7,95
80 8M 50	7	GG	80	203,72	202,35	-	110	180	60	60	18	-	7,96
90 8M 50	7	GG	90	229,18	227,81	-	110	204	60	60	18	-	9,20
112 8M 50	8	GG	112	285,21	283,83	-	110	254	60	60	18	-	12,16
144 8M 50	8	GG	144	366,69	365,32	-	110	336	60	60	20	-	15,68
168 8M 50	8	GG	168	427,81	426,44	-	120	400	60	60	20	-	18,99
192 8M 50	8	GG	192	488,92	487,55	-	130	460	60	60	20	-	24,09




# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



2F



7F



8


**8M**

podziałka: **8 mm**


koła dla pasa o szerokości: **85 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	nr flanszy	[kg]
22 8M 85	2F	St	22	56,02	54,65	60	43	-	95	105	12	308	1,60
24 8M 85	2F	St	24	61,11	59,74	66	45	-	95	105	12	310	1,95
26 8M 85	2F	St	26	66,21	64,84	71	48	-	95	105	12	311	2,30
28 8M 85	2F	St	28	71,30	70,08	75	50	-	95	105	14	312	2,60
30 8M 85	2F	St	30	76,39	75,13	83	55	-	95	105	14	314	3,10
32 8M 85	2F	St	32	81,49	80,16	87	60	-	95	105	14	315	3,70
34 8M 85	2F	St	34	86,58	85,21	91	66	-	95	105	14	316	4,00
36 8M 85	2F	St	36	91,67	90,30	98	70	-	95	105	14	319	4,70
38 8M 85	2F	St	38	96,77	95,39	103	75	-	95	105	14	320	5,10
40 8M 85	2F	St	40	101,86	100,49	106	75	-	95	105	14	321	5,40
44 8M 85	2F	St	44	112,05	110,67	119	75	-	95	105	14	325	6,70
48 8M 85	2F	St	48	122,23	120,86	127	75	-	95	105	14	327	7,20
56 8M 85	2F	St	56	142,60	141,23	148	80	-	95	105	18	333	11,48
64 8M 85	7F	St	64	162,97	161,60	168	100	137	95	95	18	338	11,02
72 8M 85	7F	St	72	183,35	181,97	192	110	158	95	95	18	340	13,45
80 8M 85	8	GG	80	203,72	202,35	-	110	180	95	95	20	-	12,36
90 8M 85	8	GG	90	229,18	227,81	-	110	204	95	95	20	-	14,38
112 8M 85	8	GG	112	285,21	283,83	-	110	254	95	95	24	-	18,66
144 8M 85	8	GG	144	366,69	365,32	-	110	341	95	95	24	-	23,00
* 168 8M 85	8	GG	168	427,81	426,44	-	120	400	95	95	24	-	-
* 192 8M 85	8	GG	192	488,92	487,55	-	130	460	95	95	24	-	-


# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



2F



3F



4


**14M**

podziałka: **14 mm**


koła dla pasa o szerokości: **40 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	nr flanszy	[kg]
28 14M 40	2F	St	28	124,78	122,12	127	100	-	54	69	24	400	4,80
30 14M 40	2F	St	30	133,69	130,99	138	100	-	54	69	24	401	5,60
32 14M 40	2F	St	32	142,60	139,88	154	100	-	54	69	24	403	6,20
34 14M 40	2F	St	34	151,52	148,79	160	100	-	54	69	24	404	6,90
36 14M 40	2F	St	36	160,43	157,68	168	100	-	54	69	24	405	7,70
38 14M 40	2F	St	38	169,34	166,60	183	120	-	54	69	24	406	8,90
40 14M 40	2F	St	40	178,25	175,49	188	120	-	54	69	24	407	9,80
44 14M 40	2F	St	44	196,08	193,28	211	120	-	54	69	24	411	12,00
48 14M 40	3F	GG	48	213,90	211,11	226	135	170	54	69	24	412	11,98
56 14M 40	3F	GG	56	249,55	246,76	256	135	207	54	69	28	416	14,01
64 14M 40	3F	GG	64	285,21	282,41	296	135	240	54	69	28	418	16,65
72 14M 40	4	GG	72	320,86	318,06	-	135	278	54	69	28	-	15,52
80 14M 40	4	GG	80	356,51	353,71	-	135	314	54	69	28	-	17,23
90 14M 40	4	GG	90	401,07	398,28	-	135	358	54	69	28	-	19,40
112 14M 40	4	GG	112	499,11	496,32	-	135	456	54	69	28	-	24,14
* 144 14M 40	4	GG	144	641,71	638,92	-	135	600	54	69	28	-	-
* 168 14M 40	4	GG	168	748,66	745,87	-	135	706	54	69	28	-	-
* 192 14M 40	4	GG	192	855,62	852,82	-	135	813	54	69	28	-	-


# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



2F



7F




8

14M


podziałka: 14 mm  
koła dla pasa o szerokości: 55 mm

typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	nr flanszy	[kg]
28 14M 55	2F	St	28	124,78	122,12	127	100	-	70	85	24	400	5,70
30 14M 55	2F	St	30	133,69	130,99	138	100	-	70	85	24	401	7,10
32 14M 55	2F	St	32	142,60	139,88	154	100	-	70	85	24	403	7,90
34 14M 55	2F	St	34	151,52	148,79	160	100	-	70	85	24	404	9,33
36 14M 55	2F	St	36	160,43	157,68	168	100	-	70	85	24	405	10,49
38 14M 55	2F	St	38	169,34	166,60	183	120	-	70	85	24	406	12,11
40 14M 55	2F	St	40	178,25	175,49	188	120	-	70	85	24	407	13,30
44 14M 55	2F	St	44	196,08	193,28	211	120	-	70	85	24	411	16,12
48 14M 55	7F	GG	48	213,90	211,11	226	135	170	70	70	24	412	13,50
56 14M 55	7F	GG	56	249,55	246,76	256	135	207	70	70	28	416	15,78
64 14M 55	7F	GG	64	285,21	282,41	296	135	240	70	70	28	418	19,04
72 14M 55	8	GG	72	320,86	318,06	-	135	278	70	70	28	-	18,41
80 14M 55	8	GG	80	356,51	353,71	-	135	314	70	70	28	-	20,27
90 14M 55	8	GG	90	401,07	398,28	-	135	358	70	70	28	-	22,98
112 14M 55	8	GG	112	499,11	496,32	-	135	456	70	70	28	-	29,29
144 14M 55	8	GG	144	641,71	638,92	-	135	600	70	70	28	-	36,00
168 14M 55	8	GG	168	748,66	745,87	-	135	706	70	70	28	-	40,00
192 14M 55	8	GG	192	855,62	852,82	-	135	813	70	70	28	-	47,50


# KOŁA ZĘBATE O PODZIAŁCE METRYCZNEJ



2F



7F



8

**14M**

podziałka: **14 mm**  
koła dla pasa o szerokości: **85 mm**

typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	nr flanszy	[kg]
28 14M 85	2F	St	28	124,78	122,12	127	100	-	102	117	24	400	8,77
30 14M 85	2F	St	30	133,69	130,99	138	100	-	102	117	24	401	10,13
32 14M 85	2F	St	32	142,60	139,88	154	100	-	102	117	24	403	11,65
34 14M 85	2F	St	34	151,52	148,79	160	100	-	102	117	24	404	13,15
36 14M 85	2F	St	36	160,43	157,68	168	100	-	102	117	32	405	14,48
38 14M 85	2F	St	38	169,34	166,60	183	120	-	102	117	32	406	16,62
40 14M 85	2F	St	40	178,25	175,49	188	135	-	102	117	32	407	18,84
44 14M 85	2F	St	44	196,08	193,28	211	135	-	102	117	32	411	22,86
48 14M 85	2F	St	48	213,90	211,11	226	150	-	102	117	32	412	27,58
56 14M 85	7F	GG	56	249,55	246,76	256	150	207	102	102	32	416	24,19
64 14M 85	7F	GG	64	285,21	282,41	296	150	240	102	102	32	418	28,57
72 14M 85	8	GG	72	320,86	318,06	-	150	278	102	102	32	-	28,26
80 14M 85	8	GG	80	356,51	353,71	-	150	314	102	102	32	-	31,00
90 14M 85	8	GG	90	401,07	398,28	-	150	358	102	102	32	-	35,00
112 14M 85	8	GG	112	499,11	496,32	-	150	456	102	102	32	-	43,50
144 14M 85	8	GG	144	641,71	638,92	-	150	600	102	102	32	-	50,00
168 14M 85	8	GG	168	748,66	745,87	-	150	706	102	102	32	-	63,00
192 14M 85	8	GG	192	855,62	852,82	-	165	813	102	102	32	-	76,00